Hormonal Balance

Applications

- Women's Wellness
- Healthy Aging
- Mood Support
- Immune Support



Introduction

NutraMedix Hormonal Balance is designed to maintain women's wellness and support healthy aging. This comprehensive formula is a proprietary blend of hydro-ethanol extracts from epimedium leaf (Epimedium grandiflorum), tribulus fruit (Tribulus terrestris), jatropha stem (Jatropha macrantha), muira puama bark (Ptychopetalum olacoides), maca root (Lepidium meyenii), eurycoma root (Eurycoma longifolia), and eustephia bark (Eustephia coccinea).

Epimedium leaf (E. grandiflorum) belongs to the Berberidaceae family and includes flavonoids, polysaccharides, lignans, phenol glycosides, and sesquiterpenes, among others.^{1,2} Epimedium species have been used to support healthy fertility for centuries, possibly related to their affinity with estrogen receptor alpha (ER-alpha).*3,4

In traditional Chinese health practices, related epimedium species known collectively as yin yang huo are used to support kidney yang, which encompasses healthy aging. Today, this support is attributed to the constituent flavonoids and polysaccharides.²

Tribulus fruit (T. terrestris), also known as puncture vine, belongs to the Zygophyllaceae family.5 It contains steroidal saponins such as spirostanol and furostanol; flavonoids such as quercetin and kaempferol: alkaloids such as tribulusamide

C and tribulusterine; tannins; terpenoids; and polyphenols; among others.^{6,7}

Tribulus fruit may help maintain normal fertility by supporting the central nervous system and the anterior pituitary gland, as well as maintaining gonadal hormones, their receptors, folliculogenesis, already within the normal range.*8 It has been used for centuries in both Chinese traditional health practices, where it is known as ci ji li, and in traditional Ayurvedic health practices, where it is known as gokshura.*9,6

Jatropha stem (J. macrantha) belongs to the Euphorbiaceae family, and is also known as Huanarpo macho.^{10,11} It has been used in traditional Peruvian health practices for both women's and men's wellness.*12 Its contents include flavonoids. phenolic acids, lignans, coumarins, and terpenes, among others.11

Muira puama bark (P. olacoides) belongs to the Olacaceae family and is native to the Amazon region, where it is used in traditional health practices to support healthy aging, maintain brain health, and support healthy stress management.*13 Potential benefits are attributed to its alkaloids,14 including magnoflorine and menispermine; it also includes the triterpenoid lupeol.15 In traditional use, it is used as an adaptogen, regardless of age. to support mental, physical, and sexual wellness.¹⁶

Maca root (L. meyenii) belongs to the Brassicaceae family and is native to the Peruvian Andes.^{12,17} It is sometimes called Peruvian ginseng and may support healthy aging,^{17,18} attributed to the constituent macamides and glucosinolates.^{*18} Maca root has been used traditionally to support healthy sexual function, maintain healthy fertility, and support comfortable menopause.^{*12}

Eurycoma root (*E. longifolia*) belongs to the Simaroubaceae family and its primary constituents include ellagic acid, quercetin, and rutin, as well as quassinoids such as eurycomanone and alkaloids.^{19,20} It has been used in the traditional health practices of Southeast Asian countries to support sexual wellness and healthy stress management.^{*21}

Eustephia bark (*E. coccinea*) belongs to the Amaryllidaceae family and is used in the traditional health practices of Peru.²²

NutraMedix Hormonal Balance is made at our U.S. manufacturing facility using a specialized proprietary extraction process that optimizes the constituents of the herbs in their original, unprocessed state to obtain broad-spectrum concentration. Because our extracts are made in our own facility, we control all aspects of quality, including stringent ID testing, microbial testing, and heavy-metal testing. NutraMedix rigorously follows current good manufacturing practices (cGMP), as do our suppliers.

Women's Wellness

Healthy Sexual Function

Tribulus fruit (*T. terrestris*), according to a Cochrane systematic review and meta-analysis, may support healthy female sexual function.*²³ In a double-blind, placebo-controlled trial, 60 premenopausal women were randomly assigned to tribulus fruit or a placebo, daily for four weeks. According to a standardized scale, tribulus significantly supported healthy sexual function.²⁴ Another trial with premenopausal women found the same result, attributed to maintaining healthy testosterone levels already within the normal range.²⁵

In a double-blind, placebo-controlled, clinical trial, menopausal women were randomly assigned to Tribulus fruit or a placebo, for 90 days. Compared to the placebo, tribulus helped support healthy sexual function, according to standardized

scales.²⁶ A review of in vitro, in vivo, and human studies attributed this support to the steroidal saponin secondary metabolites protodioscin and protogracillin.^{27,23}

Maca root (*L. meyenii*) contains phytoestrogens that may help maintain normal sexual function during menopause, according to a meta-analysis of studies evaluating the effects of phytoestrogens on sexual wellness. ²⁸ Eurycoma root (*E. longifolia*) may also help maintain testosterone levels already within the normal range in women, supporting a healthy libido. ²⁹

Normal Fertility

Epimedium leaf (*E. grandiflorum*) may help maintain healthy oocytes with normal aging, as seen in an in vitro study with porcine oocytes and attributed to antioxidant support. More human studies are needed. Tribulus fruit (*T. terrestris*) may help support normal fertility through antioxidant support. Jatropha stem (*J. macrantha*) is used traditionally to support normal fertility, which may be due, in part, to antioxidant support. Last the bark (*E. coccinea*) is used in traditional health practices to support uterine health.

Hormonal Support

Epimedium leaf (*E. grandiflorum*) may help maintain estrogen levels already within the normal range as seen with its constituent icariin in rats. ³⁴ **Jatropha stem** (*J. macrantha*) may help with hormonal support, attributed to the constituent saponins, ¹² though reports on its ability to maintain blood levels of estradiol-17 beta are mixed. ^{35,12} **Maca root** (*L. meyenii*) may help maintain blood progesterone, but not estradiol, already within the normal range. ¹²

Eurycoma root (*E. longifolia*) and its constituent eurypeptides may help maintain DHEA already within the normal range, which may help maintain sex hormones such as testosterone already within the normal range.²¹

Perimenopausal/Menopausal Support

Epimedium leaf (*E. grandiflorum*) may help soothe perimenopausal manifestations including occasional low mood, by maintaining neurotransmitter levels already within the normal range, as seen with the constituent icariin in rat models of perimenopause; more human studies are needed.³⁴

Jatropha stem (*J. macrantha*) has been traditionally used for menopausal support. ^{35,12} Maca root (*L. meyenii*), according to studies, may help with perimenopausal and menopausal support, though without changes in estradiol, follicle-stimulating hormone (FSH), thyroid stimulating hormone (TSH), or sex hormone binding globulin (SHBG). ³⁶

Healthy Aging

Bone Support

Epimedium leaf (*E. grandiflorum*) may help maintain normal bone density. A meta-analysis of 17 studies regarding herbal bone support concluded that herbs may help maintain normal bone density in the lumbar spine, femoral neck, and femoral trochanter. The most recommended herb in the meta-analysis was *Epimedium brevicornum*, a close relative of *Epimedium grandiflorum*. Icariin, a prenylflavonoid common to both species, may help maintain calcium levels as well as osteoblast and osteoclast activity already within the normal range, supporting healthy osteogenesis. 29,40

Epimedium leaf, according to a double-blind, placebo-controlled trial with 58 postmenopausal women, may help maintain levels of bone-specific alkaline phosphatase (BSAP) already within the normal range. The participants were randomly assigned to an epimedium prenylflavonoid extract or a placebo, daily for six weeks. There were no adverse effects, and the levels of BSAP were consistent with bone support."

Maca root (*L. meyenii*), according to mouse studies, may help maintain bone mineral density, Matrix Gla protein (a blood marker of bone formation), and femur weight, already within the normal range. Large human studies are needed. Eurycoma root (*E. longifolia*) may help support healthy bone density as a part of healthy aging, maintaining bone calcium levels already within the normal range. ²¹

Cognitive Support

Muira puama bark (*P. olacoides*) has been shown to help support memory and cognition in mice through maintaining acetylcholinesterase (AChE) levels already within the normal range, though human studies are needed. Mouse studies have also shown that muira puama bark ethanol

extract may help support normal cognition and maintain levels of A-beta already within the normal range. 16,42

Cardiovascular Support

Tribulus fruit (*T. terrestris*) may help maintain healthy blood pressure within the normal range. Maca root (*L. meyenii*), according to a small study with 29 postmenopausal women, may help maintain diastolic blood pressure already within the normal range. 36

Other Support

Mood Support

Maca root (*L. meyenii*), according to the previous study with 29 postmenopausal women, may also help maintain a healthy mood. In a small, doubleblind, crossover study with 14 postmenopausal women, participants were randomly assigned to maca root or a placebo, for six weeks, then switched to the other treatment for an additional 6 weeks. While no hormonal changes were seen, occasional low mood and feelings of stress were improved with maca root, compared to the placebo. The ethanol extract of muira puama bark (*P. olacoides*) may also help with mood support. 16

Immune Support

Eurycoma root (*E. longifolia*), according to a randomized, controlled trial with 126 middle-aged adults, may help with immune system support. The participants were assigned to eurycoma root or a placebo, for four weeks. Compared to the placebo, eurycoma root helped maintain total, naïve, and CD4+ T cell numbers already within the normal range.

Safety and Cautions

Epimedium leaf (*E. grandiflorum*) is generally well tolerated, 41,45,46 and animal studies have not shown toxicity.² Side effects may include dizziness, dry mouth, or thirst.⁴⁵ Theoretically, epimedium leaf may increase the risk of bleeding when taken with anticoagulant or antiplatelet medications.⁴⁵

Tribulus fruit (*T. terrestris*) is generally well tolerated.⁴⁷⁻⁴⁹ Tribulus fruit should be avoided in pregnancy as it has affected fetal development in animal studies.⁴⁷ It may increase the levels and

adverse effects of pharmacetuical lithium when taken concurrently.⁴⁷

Jatropha stem (*J. macrantha*) has a long history of safe use in traditional health practices and is generally well tolerated.¹² There are no currently known interactions with pharmaceuticals.

Muira puama bark (*P. olacoides*) is generally well tolerated. In one mouse study, it had additive effects with diazepam.⁵⁰ While there are no known adverse effects or drug interactions in humans,¹⁵ it is worth noting that molecular docking studies have shown that eight compounds in muira puama bark may bind to estrogen receptors, resulting in selective estrogen receptor modulation,⁵¹ and caution may is warranted in those with estrogensensitive conditions.

Maca root (*L. meyenii*) is generally well tolerated and has been used for centuries to support sexual function. No adverse events have been reported in clinical trials, 18,52 and there are no known

interactions in humans,⁵² though it appeared to have synergistic effects with tadalafil in a rat study.¹⁸

Eurycoma root (*E. longifolia*) is generally well tolerated and shows little inhibition of CYP isoenzymes, making CYP-related interactions unlikely.²¹ Due to potential effects on estrogen levels, it should be avoided in those with breast cancer.²¹It may reduce the levels and effectiveness of propranolol.^{21,53}

Eustephia bark (*E. coccinea*) has a long history of use in traditional Peruvian health practices, though information is limited.²²

Safety is not documented in breastfeeding or pregnant women, or in children under age 3, due to insufficient safety research.

*This statement has not been evaluated by the Food and Drug Administration. This product is not intended to treat, cure, or prevent any diseases.

References

¹Tan, H.L., Chan, K.G., et al. (2016). Frontiers in Pharmacology, 7, 191. ²Ma, H., He, X., et al. (2011). Journal of Ethnopharmacology, 134(3), 519-541

³Ho, C.C., & Tan, H.M. (2011). *Current Urology Reports, 12*(6), 470-478. ⁴Dietz, B.M., Hajirahimkhan, A., et al. (2016). *Pharmacological Reviews, 68*(4), 1026-1073.

⁶Abarikwu, S.O., Onuah, C.L., et al. (2020). *Andrologia*, *52*(3), e13509. ⁶Ştefănescu, R., Tero-Vescan, A., et al. (2020). *Biomolecules*, *10*(5), 752.

⁷Zhu, W., Du, Y., et al. (2017). Chemistry Central Journal, 11(1), 60. ⁸Sirotkin, A.V., & Kolesárová, A. (2021). Physiological Research, 70(Suppl4), 6657, 6657

OChhatre, S., Nesari, T., et al. (2014). Pharmacognosy Reviews, 8(15), 45-51.
 Apaza T.L., Antognoni, F., et al. (2021). Natural Product Research, 35(24), 5843-5847.

¹¹Tinco-Jayo, J.A., Aguilar-Felices, E.J., et al. (2021). *Molecules*, *27*(1), 115. ¹²Oshima, M., Gu, Y., et al. (2003). *The Journal of Veterinary Medical Science*, *65*(10), 1145-1146.

¹³da Silva, A.L., Silva Martins, B.D., et al. (2009). *Psychopharmacology*, 202(1-3), 165-172.

¹⁴Tian, X., Guo, S., et al. (2018). *Natural Product Research*, *32*(3), 354–357. ¹⁵Natural Medicines. (2022). Muira Puama [monograph]. http://naturalmedicines.therapeuticresearch.com

¹⁶Piato, A.L., Detanico, B.C., et al. (2010). *Phytomedicine*, 17(3-4), 248-253. ¹⁷Shin, B.C., Lee, M.S., et al. (2010). *BMC Complementary and Alternative Medicine*, 10, 44.

¹⁸Beharry, S., & Heinrich, M. (2018). *Journal of Ethnopharmacology, 211,* 126–170

¹⁹Ganapathy, A., Hari Priya, V.M., et al. (2021). *Journal of Ethnopharmacology*, 267, 113536.

²⁰George, A., & Henkel, R. (2014). *Andrologia*, 46(7), 708-721.

²¹Rehman, S.U., Choe, K., et al. (2016). *Molecules, 21*(3), 331.

²²Bussmann, R.W., & Glenn, A. (2010). *Journal of Ethnobiology and Ethnomedicine*, *6*, 30.

²³Sha'ari, N., Woon, L.S., et al. (2021). Phytomedicine, 93, 153760.

²⁴Akhtari, E., Raisi, F., et al. (2014). *Daru: Journal of Faculty of Pharmacy, Tehran University of Medical Sciences, 22*(1), 40.

²⁵Vale, F., Zanolla Dias de Souza, K., et al. (2018). *Gynecological Endocrinology*, 34(5), 442-445.

²⁶Postigo, S., Lima, S.M., et al. (2016). Revista Brasileira de Ginecologia e Obstetricia: Revista da Federacao Brasileira das Sociedades de Ginecologia e Obstetricia, 38(3), 140-146. ²⁷Ghanbari, A., Akhshi, N., et al. (2021). Phytomedicine, 84, 153462.

²⁸Najafi, M., & Ghazanfarpour, M. (2018). *Climacteric*, 21(5), 437-445.

²⁹Santos, H.O., Howell, S., et al. (2019). *Journal of Ethnopharmacology, 235,* 392-405.

³⁰Yoon, J.W., Lee, S.E., et al. (2021). *Animal Bioscience*, 34(4), 546-557

³¹Zhao, H., Shan, Y., et al. (2019). *Drug Design, Development and Therapy,* 13, 2997-3007.

³²Dakshayini, P.N., & Mahaboob Basha, P. (2018). *Journal of Innovations in Pharmaceutical and Biological Sciences*, *5*(2), 101-107.

³³Sabandar, C.W., Ahmat, N., et al. (2013). *Phytochemistry*, *85*, 7-29. ³⁴Cao, L.H., Qiao, J.Y., et al. (2019). *Molecules*, *24*(20), 3700.

³⁵Benavides, A., Montoro, P., et al. (2006). *Journal of Pharmaceutical and Biomedical Analysis*, 40(3), 639-647.

³⁶Stojanovska, L., Law, C., et al. (2015). *Climacteric, 18*(1), 69-78.

³⁷Indran, I.R., Liang, R.L., et al. (2016). *Pharmacology & Therapeutics*, 162, 188-205

³⁸Lin, W.L., Lin, P.Y., et al. (2020). The American Journal of Chinese Medicine, 48(8), 1749-1768.

He, C., Wang, Z., et al. (2020). Advances in Pharmacology, 87, 179–203.
 Ming, L.G., Chen, K.M., et al. (2013). Journal of Cellular Physiology, 228(3), 513–521.

⁴¹Yong, E.L., Cheong, W.F., et al. (2021). Phytomedicine, 91, 153680.

⁴²Figueiró, M., Ilha, J., et al. (2011). *Phytomedicine*, 18(4), 327-333.

⁴³Brooks, N.A., Wilcox, G., et al. (2008). *Menopause*, 15(6), 1157-1162.

⁴⁴George, A., Suzuki, N., et al. (2016). *Phytotherapy Research*, *30*(4), 627-635.

 $^{\rm 45}Natural$ Medicines. (2021). Horny Goat Weed [monograph]. http://naturalmedicines.therapeuticresearch.com

⁴⁶Teo, Y.L., Cheong, W.F., et al. (2019). *Planta Medica*, 85(4), 347-355.

⁴⁷Natural Medicines. (2022). Tribulus [monograph]. http://naturalmedicines.therapeuticresearch.com

 $^{\tiny 48}$ Sanagoo, S., Sadeghzadeh Oskouei, B., et al. (2019). Complementary Therapies in Medicine, 42, 95-103.

⁴⁹Kamenov, Z., Fileva, S., et al. (2017). *Maturitas*, 99, 20-26.

⁵⁰Brunetti, P., Lo Faro, A.F, et al. (2020). *Pharmaceuticals*, 13(10), 309.

⁵¹Powers, C.N., & Setzer, W.N. (2015). In Silico Pharmacology, 3, 4.

⁵²Natural Medicines. (2022). Maca [monograph]. http://naturalmedicines. therapeuticresearch.com

⁵³Natural Medicines. (2022). Eurycoma Longifolia [monograph]. http://naturalmedicines.therapeuticresearch.com

NutraMedix. 🦈

KEEP OUT OF REACH OF CHILDREN STORAGE: Keep tightly closed in a dry place at room temperature. (59-86°F or 15-30°C)

SHAKE WELL BEFORE EACH USE: Take 20 drops twice daily. Can be taken under the tongue or in 2-4 oz. (60-120 mL) of water. Do not use if pregnant or nursing. Stop use if adverse reactions develop.



FOR WOMEN

Dietary Supplement

2 oz. (60 mL)

Supplement Facts
Serving Size: 20 drops
Servings Per Container: 60
Amount Per Serving
St. Daily Value
Poppinelary Jelend
Light Jelend
L

PROFESSIONAL USE ONLY